

CERTIFIED PRODUCT KEY

Revision Date 1/30/2018

Sealants:

HM	=	Hot Melt Butyl
MPS	=	Modified Polysulfide
RHM	=	Reactive Hot Melt
PIB	=	Polyisobutylene
PS2	=	Two-Component Polysulfide
PU2	=	Two-Component Polyurethane
S1	=	One-Component Silicone
S2	=	Two-Component Silicone

Construction Components/**Connectors/Fabrication Techniques:**

K	=	Corner Key
LC	=	Linear Connection
BC#	=	Bent Corners (1, 2, 3, or 4)
MC#	=	Mechanical Corners (1, 2, 3 or 4)
AP	=	Aperture Plug
IC	=	Internal Components
CT	=	Capillary Tubes
PT	=	Point Support Aperture
SP	=	Seal Penetration
AF	=	Aluminum Foil
B	=	Butyl
PL	=	Plastic
MT	=	Mylar Tape

Construction Materials:

AA	=	Anodized Aluminum
MA	=	Mill Finish Aluminum
AL	=	Aluminum
GS	=	Galvanized Steel
SS	=	Stainless Steel
CS	=	Chrome Coated Steel
ZS	=	Nickel/Zinc Plated Steel
US	=	U-Channel (Stainless Steel)
UT	=	U-Channel (Tin Plate Steel)

Desiccants:

LF	=	Loose Fill Desiccant
IB	=	Imbedded Desiccant System
DM	=	Desiccated Matrix

Integrated Spacer Systems – Generic:

BCS	=	Butyl Composite Spacer
BFS	=	Butyl Flexible Spacer
BPS	=	Butyl Polycarbonate Spacer
BSS	=	Butyl Sealant Spacer
FS	=	Foam Spacer
PCS	=	Polycarbonate Spacer
PHA	=	Plastic Hybrid Aluminum
PHF	=	Plastic Hybrid Foil
PHSS	=	Plastic Hybrid Stainless Steel
PPS	=	Polymer Plastic Spacer
PSS	=	Polymer Spacer System
TBAA	=	Thermally Broken Anodized Aluminum
TBCA	=	Thermally Broken Coated Aluminum
TBCS	=	Thermally Broken Chrome Steel
TBGS	=	Thermally Broken Galvanized Steel
TBTS	=	Thermally Broken Tin Steel
TP	=	Thermoplastic Spacer

Substrates:

U	=	Uncoated
C3	=	Sputter Coated, Non-Edge Deleted (Soft)
C2	=	Sputter Coated, Edge Deleted (Soft)
C1	=	Pyrolytic Coated (Hard)
SCF	=	Suspended Coated Film

Gases:

AR	=	Argon
KR	=	Krypton
CO	=	Carbon Dioxide (CO ₂)
BL	=	Blend (Specifically % and Composition)

Gas Content: Ref. Page 66

Yes	=	GCIA measured valued for initial content, 90% or greater; after weather 80% or greater. Testing for Argon value only at this time. (See guideline A.GC.1)
-----	---	---

Other:

VG	=	Vacuum Insulated Glass Unit
IN	=	Inactive certification (See guideline G.38)

Note: The materials of construction as listed above are presented as general information only. The designations for the various component parts are generic and do not reflect specific product modifications or technical differences within a component. For more detailed information on components, contact your insulating glass supplier.

UNDER EACH COMPANY'S NAME IS THEIR IGCC®/IGMA® PERMANENT LABEL